

(12) PATENT APPLICATION
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 200227743 A1

(54) Title
A gaming device and method

(51)⁷ International Patent Classification(s)
A63F 013/00 G07F 017/34
A63F 005/04

(21) Application No: 200227743

(22) Application Date: 2002.03.27

(43) Publication Date : 2002.05.16

(43) Publication Journal Date : 2002.05.16

(62) Divisional of:
200158011


(71) Applicant(s)
Anchor Gaming

(72) Inventor(s)
William R. Adams

(74) Agent/Attorney
HODGKINSON OLD McINNES, Level 3, 20 Alfred Street, MILSONS POINT NSW
2061

ABSTRACT


The present invention is directed to novel gaming devices comprising at least one bonus indicator (70, 150, 250) capable of indicating at least one of a plurality of
5 bonuses. The invention is also directed to a method of conducting a game of chance based on these gaming devices.



THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A gaming device comprising a first game apparatus and a bonus game apparatus, said first game apparatus being operable by a player and upon operation
5 having a single result being one of a plurality of possible results of which at least one is a winning result, and said bonus game apparatus being connected with said first game apparatus and being enabled only by a said winning result to permit operation thereof and upon operation having a bonus result selected from a plurality of possible bonus results whereby a player chancing upon a said winning result following
10 operation of said first game apparatus can have the benefit of operation of said bonus game apparatus to achieve an additional result in the form of said bonus result.
2. The device as claimed in claim 1 wherein said additional result is selected from the group consisting of a payment in addition to said winning result, a payment
15 instead of said winning result, a modification to said winning result, and no result.
3. The device as claimed in claim 1 or 2 wherein said bonus game device is provided with an actuator means operable to initiate operation said bonus game apparatus.
20
4. The device as claimed in claim 3 wherein said actuator means is switchable between a quiescent state and an attention attracting state and is so switched following said first game apparatus creating said winning result.
- 25 5. The device as claimed in claim 4 wherein said actuator means is switchable from said attention attracting state to said quiescent state following operation of said actuator means.
- 30 6. The device as claimed in any one of claims 3-5 wherein said actuator means is operable by said player.

FIG. 1



1

AUSTRALIA

Patents Act 1990

COMPLETE SPECIFICATION

FOR A STANDARD PATENT

ORIGINAL

Name of Applicant: ANCHOR GAMING

Actual Inventor: WILLIAM R ADAMS

Address for Service: HODGKINSON OLD McINNES
Patent & Trade Mark Attorneys
Levels 3 and 4, 20 Alfred Street
MILSONS POINT NSW 2061

Invention Title: A GAMING DEVICE AND METHOD

Divisional Application Details: Standard Patent Application
No. 58011/01 dated 14 August 2001

The following statement is a full description of this invention, including the best method of performing it known to me:

The present invention is directed to novel gaming devices and, more particularly, to gaming devices comprising at least one bonus indicator capable of indicating at least one of a plurality of bonuses.

5 BACKGROUND OF THE INVENTION

Games of chance have been enjoyed by people for thousands of years and have enjoyed widespread popularity in recent times. Many people enjoy playing a wide variety of games that they have not played before. Playing new games adds to the excitement of this recreational activity particularly when some form of "gaming" is involved. As used herein, the term "gaming" and "gaming devices" are used to indicate that some form of wagering is involved, and that players must make wagers of value, whether actual currency or some equivalent of value, e.g., token or credit.

10 One popular game of chance that has long been enjoyed by many players is the slot machine (or poker machine as the device is known in Australia). Conventionally, a slot machine is configured for a player to input something of value, e.g., a standard denomination of currency or house token or other representation of currency or credit, and then to permit the player to activate the device which causes a plurality of reels to spin and ultimately stop to display a random combination of some form of indicia, for example, numbers or symbols. If this display contains one of a preselected plurality of winning combinations, the machine releases money into a payout chute or onto a credit meter for the player. For example, if a player initially wagered two coins of a national currency and that player won a high payout, that player may receive fifty
20 coins of the same denomination in return.
25

Since it is desirable to offer players games which they have not played before, it would be desirable to provide a player with new games and additional opportunities to receive winning payouts.

Those familiar with games involving winning payouts, such as the popular television game show entitled "WHEEL OF FORTUNE" will realize that as players and observers watch a large wheel spin and gradually come to rest, the players experience a heightened feeling of anticipation and excitement as the wheel is
5 slowing down to indicate a possible prize.

It would therefore also be desirable to provide a payout indicator which is discernible by a player and/or other observers.

10 **SUMMARY OF THE INVENTION**

According to one aspect of the invention, there is provided a gaming device comprising a first game apparatus and a bonus game apparatus, said first game apparatus being operable by a player and upon operation having a single result being
15 one of a plurality of possible results of which at least one is a winning result, and said bonus game apparatus being connected with said first game apparatus and being enabled only by a said winning result to permit operation thereof and upon operation having a bonus result selected from a plurality of possible bonus results whereby a player chancing upon a said winning result following operation of said first game
20 apparatus can have the benefit of operation of said bonus game apparatus to achieve an additional result in the form of said bonus result.

According to another aspect of the invention, there is provided a method of heightening player enjoyment derived from playing a gaming device, said method
25 comprising the steps of:

- (i) operating a first game to produce a single result being one of a plurality of possible results, of which at least one is a winning result, and
- (ii) if said single result is a winning result enabling operation of a bonus game to produce an additional result being one of a plurality of possible bonus results.

Various embodiments of the present invention comprise gaming devices having a first gaming unit, e.g., rotatable reels and at least one discernible indicia of a mechanical bonus payout indicator. According to the most preferred embodiments, the bonus payout indicator is clearly visible to a player and is operable when primary reels of a slot machine stop on certain predetermined indicia. According to one preferred embodiment of the present invention, a bonus indicator is in the form of a rotatable bonus wheel which can be caused to spin automatically or in response to some action by a player, e.g. the player pushing a button, when the primary reels indicate one of a predetermined plurality of indicia. When the wheel stops, a pointer indicates the bonus payout to be awarded to the player.

Another preferred embodiment of the present invention further comprises a discernible multiplier which provides the ability to change either the payout from the primary gaming unit or the bonus indicator, or both. As described in more detail below, it is within the scope of the present invention to provide a payout from the primary gaming unit, a payout indicated by the bonus indicator only, a payout from the primary gaming unit or the bonus indicator as changed by the multiplier, or a separate, plurality of payouts from the primary gaming unit and the bonus indicator either with or without modification by a multiplier.

According to one preferred embodiment of the present invention, a mechanical bonus payout indicator is electro-mechanically operated and is linked to a random number generator which determines where the bonus indicator actually stops.

According to another preferred embodiment of the present invention, when the primary reels stop on one of a predetermined plurality of winning indicia sets, a bonus actuator is placed in an active state. According to this embodiment, a person, such as the player, must actuate the actuator in order to operate the bonus indicator.

According to another embodiment of the present invention, the bonus actuator requires operator intervention so that a player must involve a casino attendant who can activate the bonus indicator.

- 5 According to another preferred embodiment of the present invention, the bonus indicator is connected to a drive mechanism which gradually reduces the rate of spin of the bonus wheel before the bonus wheel stops.

- 10 Still other embodiments of the present invention comprise gaming devices having electronic means for displaying indicia of rotatable reels such as a video screen and/or means for displaying indicia of a bonus payout indicator, such as a video screen.

- 15 The present invention also comprises methods for playing a game of chance. One preferred method comprises the steps of a first, standard gaming unit for displaying a randomly selected combination of indicia, said displayed indicia selected from the group consisting of slot reels, indicia of reels, indicia of playing cards, and combinations thereof; said first, standard gaming unit comprising means or
20 generating at least one signal corresponding to at least one select display of indicia; means for providing at least one discernible indicia of a mechanical bonus indicator, said bonus indicator indicia providing means indicating at least one of a plurality of possible bonuses, wherein said bonus indicator indicia providing means is operatively connected to said first, standard gaming unit and actuatable in response to said signal.

25

- Further embodiments of the present invention comprises a method of conducting a game of chance comprising the steps of providing a player with an opportunity to place a wager; displaying a randomly selected combination of indicia, said displayed indicia selected from the group consisting of reels, indicia of reels, indicia of playing
30 cards, and combination thereof; generating at least one signal corresponding to at least one select display of said indicia; providing at least one discernible indicia of a

mechanical bonus indicator, said bonus indicator indicia indicating at least one of a plurality of possible bonuses, wherein said bonus indicator indicia is in the form of a wheel or reel and is actuatable in response to said signal.

5 **BRIEF DESCRIPTION OF THE DRAWINGS**

Fig. 1 is a perspective view of a gaming device of one embodiment of the present invention,

10 Fig. 2 is another embodiment of a gaming device of the present invention, and

Fig. 3 illustrates a further alternative embodiment of the present invention.

DETAILED DESCRIPTION

15

The various embodiments of the present invention are designed to provide added excitement to a gaming device in order to increase the enjoyment to players and to serve as an added attraction to potential players. One preferred embodiment of the present invention, illustrated in Fig. 1, comprises a primary gaming unit which

20 comprises three rotatable reels 10, each of which comprise a plurality of indicia on the periphery thereof. The illustrated gaming device comprises a mechanical lever 12, coin slot 14, currency validator 16 and a credit card validator 18. In a manner which will be recognized by those skilled in the art, each reel 10 is designed to rotate and then stop in order to visually display at least one, and preferably a number of indicia.

25 If the collection of indicia displayed by the three reels is one of a predetermined plurality of winning indicia sets, then the player can typically be provided with a winning payout either through coin chute 20 which deposits winnings into a coin trough 30 or by increasing the player's credits in a credit window 40.

30 According to one aspect of the present invention, when the reels 10 display a particular indicia set then the player is provided with an opportunity for a bonus.

According to this illustrated embodiment of the present invention, a bonus actuator button 50 is placed in an operative state when reels 10 display a bonus indicia set. A player must then depress bonus actuator 50 in order to start bonus indicator 70 spinning. In the illustrated embodiment, bonus indicator 70 is in the form of a

5 rotatable wheel. The wheel can be a carnival-type wheel comprising pegs and a clapper or could take one or more other forms, such as a fanciful wheel typically used in a roulette game as shown in the embodiment of Fig.2. The facing surface of bonus indicator 70 of Fig. 1 comprises four distinct areas bearing indicia of the bonus payout to the player. In the illustrated embodiment, the bonus indicator has areas indicating

10 bonuses of \$25.00, \$50.00, \$100.00, and \$2000.00. When bonus indicator 70 stops, an indicator (not shown) will indicate the area on the bonus wheel corresponding to the amounts of the bonus to be provided to the player.

In a manner which will be appreciated by those skilled in the art, the bonus indicator

15 70 can be operatively linked to a "payout" mechanism which provides a bonus payout to a player through currency chute 20 or by increasing the amount of winnings shown in credit window 40. As stated above, the payout of the bonus indicator can be in addition to a standard payout by the primary gaming unit or can be in place of the payout normally associated with the primary gaming unit.

20

Those familiar with gaming and game shows, will appreciate that players and observers typically experience a heightened level of anticipation and excitement as they observe one or more moving objects approaching a winning position. It is therefore most preferred for the bonus indicator of the present invention to be readily

25 discernible, e.g., clearly visible and/or audible to the player and any observers.

According to another preferred embodiment of the present invention, a bonus indicator is connected to an electro-mechanical control unit, for example an electric motor, which gradually decreases the rate of movement of the bonus indicator before

30 the bonus indicator stops. Accordingly to this embodiment of the present invention, players can be provided with a realistic sense of a totally mechanical indicator. Those

skilled in the art will appreciate that such a control unit can also readily be connected to a random generator which will randomly select the winning payout according to a predetermined frequency of occurrence for each individual bonus payout, and then cause the bonus indicator to stop at the desired area.

5

According to another embodiment of the present invention, when reels 10 display an indicia set which will provide a bonus, the bonus indicator becomes activatable but requires intervention by a house attendant, such as a casino attendant, in order to actuate the bonus indicator. According to this embodiment of the present invention, the casino is provided with greater control over the actuation of the bonus indicator and, if desired, can accompany the actuation of the bonus indicator with great fanfare. It will be appreciated that the amounts of the bonus indicated in the figures are merely for purposes of illustration and, if desired, one of the amounts on the bonus indicator can have a significantly greater value. For example, one of the areas on the bonus indicator may correspond to a new automobile, a luxury vacation or a very large sum of money.

10
15

While the illustrated embodiment of the present invention in Fig. 1 is generally in the form of a rotatable wheel, other visible, mechanical indicia can be provided, whether controlled totally mechanically, electro-mechanically, or electronically without departing from the scope of the present invention.

20

As shown in Fig. 1, in order to provide additional levels of excitement, indicia of the possible bonuses are preferably visibly displayed within the slot machine. For example in the illustrated embodiment, a shelf is preferably displayed comprising piles of currency equal to the amounts on the bonus indicator. While actual cash is preferred, the slot machine may also be provided with fake currency or simply indicia of actual currency or the other bonus prizes.

25

30 An alternative embodiment of the present invention is illustrated in Fig. 2 wherein a gaming device 100 comprises a primary gaming unit in the form a standard three-reel

slot machine which displays reels 110. Suitable controls and currency mechanisms including a coin slot 114, bill validator 118, payout chute 120 are provided.

Furthermore, suitable player controls including CHANGE button 132, CASH/CREDIT button 134, BET ONE button 136, SPIN button 138 and BET MAX button 130 are
5 also provided.

In addition to these standard controls, the control panel of this preferred illustrated embodiment of the present invention comprises a SPIN THE WHEEL button 140 which becomes actuatable when the primary gaming unit, as indicated by reels 110,
10 has randomly selected one of a plurality of predetermined indicia sets. While the primary gaming unit shown in the lower portion of the cabinet of gaming device 100 will typically have the ability to provide a plurality of winning payouts, the SPIN THE WHEEL button 140 can become actuatable when the stopped reels 110 indicate some subset of the primary unit's winning indicia, when any one of the winning reel
15 indicia are displayed, or further in response to one or more other predetermined indicia, or a combination thereof.

When the SPIN THE WHEEL button 140 is actuated by a player, bonus wheel 150 is caused to rotate and randomly select and display one of a plurality of different areas.
20 According to the preferred illustrated embodiment, all of the bonus areas indicate an increased winning value for the player. However, it is within the scope of the present invention to provide non-monetary prizes or losing spaces wherein no additional prize is provided and/or wherein the prize normally associated with the indicia shown on the primary gaming unit reels 110 is reduced. In the illustrated embodiment, a pointer
25 160 advantageously indicates the result of the bonus indicator 150.

In addition to the bonus wheel 150, this preferred illustrated embodiment of the present invention also comprises a bonus multiplier 170. The multiplier 170 preferably randomly selects a value by which the bonus indicated by bonus wheel
30 150 is multiplied. For example, the bonus indicator 170 can have an LED screen which cycles through multipliers of "times one", "times two" and "times three" which

will indicate that the bonus is as indicated, doubled, or tripled, respectively. The multiplier 170 can be programmed to select a multiplier either totally randomly or according to some other predetermined frequency of occurrence wherein certain multipliers will occur more frequently than other multipliers. While this illustrated embodiment comprises whole number multipliers, it is also within the scope of the present invention to utilize values other than whole numbers or to include multipliers which will result in a decrease in the value shown by the bonus indicator 150. For example, a multiplier sequence could include a "times zero" value. When bonus wheel indicator 150 is not in use, the multiplier LED window can be set to an attract mode wherein a message is displayed to players or potential players. For example, the LED display could show a message, either in complete form or can be set to sequentially display either words or individual letters, such as "SPIN - THE - WHEEL".

- Fig. 3 illustrates a less preferred embodiment of the present invention wherein a gaming device 200 comprising similar controls as the controls illustrated in the embodiment of Fig. 2. In this illustrated embodiment, and wherein a bonus indicator 250 is in the form of an electronically generated image, such as a video screen or an LED display and provides discernible indicia, e.g., a visual video display, of a bonus wheel. For example, the video display can show a wheel of the type used in a roulette game such as the wheel 150 illustrated in Fig. 2.

The slot machine shown in Fig. 3 comprises a video display 210, such as a video screen, which displays three reels 110, each of which comprise a plurality of indicia.

- In addition, this slot machine comprises a video display 250, such as a second video screen, for displaying a bonus payout indicator. While separate screens are preferred, both the reels and the bonus payout indicator could be displayed on the same video screen. According to this embodiment of the present invention, the bonus payout indicator displays indicia of a wheel or a reel.

In a manner known in the art, the gaming device comprises a coin slot 214, a currency validator 218, and a coin chute 220. After placing a wager, a player determines the amount of his wager by either pressing the BET ONE button 236 or the BET MAX button 230. After the player has selected the amount of his wager, he
5 depresses the SPIN button 238 which "spins" the reels shown in video display window 210.

Each indicia of a displayed reel 210 is designed to indicate rotation and then stop in order to visually display at least one, and preferably a number of indicia. When reels
10 210 display a particular indicia set of one of a predetermined plurality of indicia sets, then the additional payout mode is activated and video display 250 displaying payout indicator is placed in an operable state. In this illustrated embodiment, the displayed payout indicator 250 displays an indicia of a rotating wheel comprising a plurality of distinct areas bearing indicia of payouts to the player. Payout indicator 250, is
15 caused to selectively indicate one of the plurality of indicia, either automatically, upon intervention of a casino or house attendant, or upon a player depressing SPIN THE WHEEL button 240 in order to start indicator 250 spinning. It will be appreciated that the amounts of the payout indicated in Figs. 2 and 3 are merely for purposes of illustration and, if desired, one of the amounts on the bonus indicator can have a
20 greater value, e.g., a new automobile, a luxury vacation or large sum of money which may be collected subsequently, or lesser values, e.g., no payout.

The displayed reels 210 and displayed bonus indicator 250 can be operably controlled by suitable controls to slow down as they come to a complete stop,
25 displaying a selected reel indicia and a bonus indicia, respectively.

The embodiment of the present invention illustrated in Fig. 2 is considered most preferable since it is believed that players prefer to see actual slot reels and an actual bonus wheel spinning in a gaming device. Other, less preferred embodiments are
30 also possible while providing some of the advantages of the present invention. Specifically, it is feasible to replace the spinning reels with other forms of standard

gaming units, for example, a visible indicia of reels or indicia of playing cards, shown for example on a video screen. It is also possible to replace the wheel with some other discernible indicia of a mechanical bonus indicator which is operatively connected to the first standard gaming unit and which either automatically
5 commences or is actuatable in response to the result provided by the standard gaming unit. According to the present invention, both of the standard gaming unit and bonus indicator are controlled to provide random results.

From the foregoing description, it will be appreciated that embodiments of the present
10 invention, which are specifically directed to gaming and gaming devices, comprise three different indicators. The most preferred embodiments comprise a primary (standard) gaming unit, an additional payout indicator, preferably in the form of a wheel, and a payout multiplier. While the illustrated payout multiplier of the illustrated
15 embodiments is in the form of an electronically selected value, it is also within the scope of the present invention to have a multiplier which involves some skill on the part of a player. For example, according to an additional preferred embodiment of the present invention, a player will shoot actual projectiles, such as coins, at one or more targets in an effort to increase the value of the multiplier. In any of the embodiments of the present invention utilizing a multiplier, the multiplier can affect the value of a
20 payout from the standard gaming unit, the additional payout indicator, or both the standard gaming unit and the payout indicator.

As stated above, the present invention also includes methods of conducting a
wagering game of chance comprising the steps of providing a player with an
25 opportunity to place a wager; displaying a randomly selected combination of indicia, said displayed indicia selected from the group consisting of reels, indicia of reels, indicia of playing cards, and combination thereof; generating at least one signal corresponding to at least one select display of said indicia; providing at least one discernible indicia of a mechanical bonus indicator, said bonus indicator indicia
30 indicating at least one of a plurality of possible bonuses, wherein said bonus indicator indicia is in the form of a wheel or reel and is actuatable in response to said signal. A

further preferred method comprises the step of displaying at least one value by which a payout may be multiplied.

The term "comprising" (and grammatical variations thereof) is used in the inclusive
5 sense of "having" or "including" and not in the exclusive sense of "consisting only of".

10

2
3
4
5
6
7
8

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A gaming device comprising a first game apparatus and a bonus game apparatus, said first game apparatus being operable by a player and upon operation
5 having a single result being one of a plurality of possible results of which at least one is a winning result, and said bonus game apparatus being connected with said first game apparatus and being enabled only by a said winning result to permit operation thereof and upon operation having a bonus result selected from a plurality of possible bonus results whereby a player chancing upon a said winning result following
10 operation of said first game apparatus can have the benefit of operation of said bonus game apparatus to achieve an additional result in the form of said bonus result.
2. The device as claimed in claim 1 wherein said additional result is selected from the group consisting of a payment in addition to said winning result, a payment
15 instead of said winning result, a modification to said winning result, and no result.
3. The device as claimed in claim 1 or 2 wherein said bonus game device is provided with an actuator means operable to initiate operation said bonus game apparatus.
20
4. The device as claimed in claim 3 wherein said actuator means is switchable between a quiescent state and an attention attracting state and is so switched following said first game apparatus creating said winning result.
- 25 5. The device as claimed in claim 4 wherein said actuator means is switchable from said attention attracting state to said quiescent state following operation of said actuator means.
- 30 6. The device as claimed in any one of claims 3-5 wherein said actuator means is operable by said player.

7. The device as claimed in any one of claims 3-5 wherein said actuator means is operable by the operator of said gaming device.

8. The device as claimed in any one of the preceding claims wherein said bonus
5 game apparatus comprises a rotatable wheel arrangement.

9. The device as claimed in claim 8 wherein said wheel arrangement comprises a disc mounted for rotation about a substantially centrally located axis.

10 10. The device as claimed in claim 8 wherein said wheel arrangement comprises a rotatable video image.

11. The device as claimed in any one of claims 8-10 wherein said wheel
arrangement includes brake means to perceptibly slow the rotation thereof.

12. The device as claimed in any one of the preceding claims wherein each said
bonus result comprises a prize distinct from said winning result.

13. The device as claimed in any one of claims 1-11 wherein said bonus result
20 comprises a multiplier whereby each said bonus result comprises a multiple of said
winning result.

14. The device as claimed in any one of the preceding claims wherein said first
game apparatus comprises a slot machine.

15. The device as claimed in claim 14 wherein said slot machine includes a
plurality of rotatable reels in side-by-side arrangement.

16. The device as claimed in any one of the preceding claims wherein the value of
30 said additional result is determined from a game of skill played by said player at the
conclusion of, or during, operation of said bonus game.

17. The device as claimed in claim 16 wherein said game of skill comprises a player shooting projectiles at a target.

5 18. The device as claimed in claim 17 wherein said projectiles have the appearance of coins.

19. The device as claimed in any one of claims 1, 2, and 8-18 wherein said operation of said bonus game apparatus is initiated automatically by said winning
10 result of said first game apparatus.

20. A gaming device substantially as herein described with reference to any one of Figs. 1-3 of the drawings.

15 21. A method of heightening player enjoyment derived from playing a gaming device, said method comprising the steps of:

- (i) operating a first game to produce a single result being one of a plurality of possible results, of which at least one is a winning result, and
(ii) if said single result is a winning result enabling operation of a bonus game to
20 produce an additional result being one of a plurality of possible bonus results.

22. The method as claimed in claim 21 wherein said bonus game operation commences automatically following production of said winning result.

25 23. The method as claimed in claim 21 including the step of operating an actuator means to initiate operation of said bonus game.

24. The method as claimed in claim 23 wherein said winning result switches said actuator means from a quiescent state to an attention attracting state.

25. The method as claimed in claim 24 wherein operation of said actuator means switches said actuator means from said attention attracting state to said quiescent state.

5 26. The method as claimed in any one of claims 22-25 wherein the player operates said actuator means.

27. The method as claimed in any one of claims 22-25 wherein the operator of said gaming device operates said actuator means.

10

28. The method as claimed in any one of claims 21-27 wherein operation of said bonus game comprises the step of rotating a wheel arrangement.

15 29. The method as claimed in claim 28 wherein a disc mounted for rotation about a substantially centrally located axis comprises said wheel arrangement and is rotated about said axis.

30. The method as claimed in claim 28 wherein rotating said wheel arrangement comprises the step of rotating a video image.

20

31. The method as claimed in any one of claims 28-30 including the step of perceptibly slowing said arrangement during rotation thereof.

25 32. The method as claimed in any one of claim 21-31 comprising the step of having each said bonus result as a prize distinct from said winning result.

33. The method as claimed in any one of claims 21-31 comprising the step of having each said bonus result comprise a multiple of said winning result.

30 34. The method as claimed in any one of claims 21-31 including the step of selecting said additional result from the group consisting of a payment in addition to

said winning result, a payment instead of said winning result, a modification of said winning result, and no result.

35. The method as claimed in any one of claims 21-34 including the step of
5 determining the value of said additional result from a game of skill played by said player at the conclusion of, or during, operation of said bonus game.

36. The method as claimed in claim 35 including the step of shooting projectiles at
10 a target in conducting said game of skill.

37. The method as claimed in claim 36 including the step of giving said projectiles
the appearance of coins.

38. The method as claimed in any one of claims 21-37 wherein the step of
15 operating said first game comprises the step of operating a slot machine.

39. The method as claimed in claim 38 wherein the step of operating said slot
machine includes the step of rotating a plurality of reels in side-by-side arrangement.

40. A method of heightening player enjoyment derived from playing a gaming
20 device, said method being substantially as herein described with reference to the drawings.

Dated this 25th day of March 2002

25

ANCHOR GAMING

30

Patent Attorneys for the Applicant
HODGKINSON OLD McINNES

FIG. 1




FIG. 2




FIG. 3

